



G 48CD

Beverages

Derby



Derby Product Line for Beverages

Developed to guarantee the success of your brand, the Derby Beverages Line combines performance and technology with the perfect exposure.

This line is composed by Upright, Horizontal and Impulse models with a cooler capacity between -9°C and 12°C, ideal for storage of juice, water, soft drinks, energy drinks and beverages in general.

Find out about Derby's design and technology and ensure your products always enjoy the perfect exposure at the point of sale.

Derby: tradition of innovation, always offering the best design in quality, finishing, and performance.







INTERNAL LIGHT



ADJUSTABLE SHELVES

 Adjustable shelves Make the arrangement and identification of the products easy.

Branding* Custom graphics can also be added.

 Built-in handle Makes an easy opening of the door.

Door lock* Avoids undesirable openings and secures the products inside.

 Internal light Allowing good product visibility.

 Self Closing door system* Contributes to reduce energy consumption.

Strong grid

* Options











DIMENSIONS



Ca	pacity
_	/11.

Gross (liters / cubic feet)	418 / 14.76
Net (liters / cubic feet)	355 / 12.53

External dimensions

Width (mm / inches)	595 / 23.42
Height (mm / inches)	1915 / 75.39
Depth (mm / inches)	655 / 25.78

Internal dimensions

Width (mm / inches)	495 / 19.48
Height (mm / inches)	1552 / 61.10
Depth (mm / inches)	545 / 21.45

Weight

Net (kg) 80



REAL SIZE



LOADING CAPACITY

Total	
290ml bottle	-
500ml bottle	-
500ml Pet	280
1l Pet	-
2l Pet	-
330ml can	500

TRANSPORTATION



Width (mm / inches)	660 / 25.98
Height (mm / inches)	2010 / 79.13
Depth (mm / inches)	720 / 28.34

Loading container

20 feet	-
40 feet	-

Piling up

Packaging

iviaximum		

Weight Gross (kg) 85

SHELVES



Number	
Hanging shelves	
Bottom shelf	

Size

Width (mm / inches)	-
Depth (mm / inches)	-

Facings per shelf

500ml Pet	-
500ml bottle	-
330ml can	-

TEMPERATURE RANGE



Temperature range (°C)	3 to 6
Temperature range (°F)	37.4 to 42.8
Climate class	4

TECHNOLOGY



Type of evaporator	Plate
Type of refrig. agent (gas)	R-134A

POWER



Voltago Fraguency	230V - 50Hz
Voltage - Frequency	230V - 50HZ
Voltage - Frequency	-
Voltage - Frequency	-
Power (W)	296
Energy consumption (KWh/2	4h) -

MERCHANDISING AREA



Sidewall	
Width (mm / inches)	-
Height (mm / inches)	-
Glass	

OPTIONS



- Door Lock
- Self Closing Door

Width (mm / inches) Height (mm / inches)

• Angle / Gravity shelves

SIMILAR EQUIPMENTS



G 48C - Beverages **G 48CDCP** - Beverages



